MOLECULAR AND CELLULAR ENDOCRINOLOGY

Volume 150, Nos. 1–2 April 25th 1999

Cited in Biological Abstracts; Elsevier BIOBASE/Current Awareness in Biological Sciences; Current Contents / Life Sciences; EMBASE/Excerpta Medica; Index Medicus; Informedicus; Pascal M

CONTENTS

Research Papers

Actions of bFGF on mitogenic activity and lineage expression in rat osteoprogenitor cells: effect of age
H. Tanaka, H. Ogasa, J. Barnes, C.T. Liang (USA, Japan) 1

Estrogen and aryl hydrocarbon responsiveness of ECC-1 endometrial cancer cells
E. Castro-Rivera, M. Wormke, S. Safe (USA) 11

COX-2 compensation in the uterus of COX-1 deficient mice during the pre-implantation period
J. Reese, N. Brown, B. C. Paria, J. Morrow, S. K. Dey (USA) 23

Effects of equine oestrogens on markers of vasoactive function in human coronary artery endothelial cells
C.S. Wingrove, E. Garr, J.H. Pickar, M. Dey, J.C. Stevenson (UK, USA) 33

Inhibitory effects of TNFα on mouse tumor Leydig cells: possible role of ceramide in the mechanism of action
L.T. Budnik, D. Jähner, A.K. Mukhopadhyay (Germany) 39

Role of amino acid residues at the interface of α52asparginyl-*N*-glycosyl chain of human choriogonadotropin
K. Shao, S.V. Balasubramanian, O.P. Bahl (USA) 47

Progenitor cells in the embryonic anterior pituitary abruptly and concurrently depress mitotic rate before progressing to terminal differentiation
E. Seuntjens, C. Denef (Belgium) 57

Bioassay for growth hormone releasing hormone (GHRH) using a recombinant receptor and cAMP-responsive reporter system
J.A. Frank-Heinrich, Y. Xia, P. Chadha-Mohanty, F.W. Wagner, H.E. Grotjan (USA) 65

E75 expression in mosquito ovary and fat body suggests reiterative use of ecdysone-regulated hierarchies in development and reproduction
W.E. Pierceall, C. Li, A. Biran, K. Miura, A.S. Raikhel, W.A. Segraves (USA) 73

Transforming growth factor-β (TGF-β) type I and type II receptors are both required for TGF-β-mediated extracellular matrix production in lung fibroblasts
Y. Zhao (USA) 91

Estrogen receptor binding to estrogen response elements slows ligand dissociation and synergistically activates reporter gene expression
C.M. Klinge (USA) 99

The shed thyrotropin receptor is primarily a carboxyl terminal truncated form of the A subunit, not the entire A subunit
K. Tanaka, G.D. Chazenbalk, S.M. McLachlan, B. Rapoport (USA) 113

Canine mammary growth hormone gene transcription initiates at the pituitary-specific start site in the absence of Pit-1
I.S. Lantinga-van Leeuwen, M. Oudshoorn, J.A. Mol (The Netherlands) 121

(*Contents continued on inside back cover*)

CONTENTS DIRECT

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. The quickest way to register for **ContentDirect** is via the World Wide Web at: **www.elsevier.nl/locate/ContentsDirect**
If you don't have access to the WWW you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk specifying the title of the publication you wish to register for. The tables of contents are also available on the Elsevier Science website at: www.elsevier.nl or www.elsevier.com or www.elsevier.co.jp

0303-7207(19990425)150:1:2;1-7 08040

MOLECULAR AND CELLULAR ENDOCRINOLOGY

Subscription Information: *Molecular and Cellular Endocrinology* (ISSN 0303-7207). For 1999 vols. 148–158 are scheduled for publication. Subscription prices are available upon request from the Publisher. Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by surface mail except to the following countries where air delivery via SAL mail is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, PR China, Singapore, South Africa, South Korea, Taiwan, Thailand, USA. For all other countries airmail rates are available upon request. Claims for missing issues should be made within six months of our publication (mailing) date.

Orders, claims and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:

New York: Elsevier Science, P.O. Box 945, New York, NY 10159-0945, USA; Tel. (+1)212-633-3730 [Toll free number for North American customers: 1-888-4ES-4ES-INFO (437-4636)]; Fax (+1)212-633-3680; E-mail: usinfo-f@elsevier.com
Amsterdam: Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands; Tel. (+31)20-4853757; Fax (+31)20-4853432; E-mail: nlinfo-f@elsevier.nl
Tokyo: Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; Tel. (+81)3-5561-5033; Fax (+81)3-5561-5047; E-mail: info@elsevier.co.jp
Singapore: Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192, Tel. (+65)434-3727; Fax (+65)337-2230; E-mail: asiainfo@elsevier.com.sg
Rio de Janeiro: Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; Tel. (+55)21-5095-340; Fax (+55)21-507-1991; E-mail: elsevier@campus.com.br [Note (Latin america): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

Advertising information: Advertising orders and enquiries may be sent to: **Europe and ROW**: Rachel Gresle-Farthing, Elsevier Science Ltd., Advertising Department, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; Tel.: +44 1865 843565; Fax: +44 1865 843976; E-mail: r.gresle-farthing@elsevier.co.uk. **USA and Canada**: Elsevier Science Inc., Mr. Tino DeCarlo, 655 Avenue of the Americas, New York, NY 10010-5107, USA; Tel.: +1 212 633 3815; Fax: +1 212 633 3820; E-mail: t.decarlo@elsevier.com **Japan**: Elsevier Science K.K., Advertising Department, 1-9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan; Tel.: +81 3 55615033; Fax: +81 3 55615047.

If you need information about the journal, you can find all details (including full "Notes to Authors") on the World Wide Web: access under http://www.elsevier.nl/locate/mce or http://www.elsevier.com/locate/mce

(Contents continued from outside back cover)

Targeted ablation of gonadotrophs in transgenic mice affects embryonic development of lactotrophs
E. Seuntjens, H. Vankelecom, A. Quaegebeur, V. Vande Vijver, C. Denef (Belgium) 129
Loss of several cell functions including okadaic acid-induced apoptosis after multiple passages in FRTL-5 cells
J. Golstein, T. Kimura, F. Miot, J.E. Dumont (Belgium) 141
Definition of a high affinity growth hormone DNA response element
P.L. Bergad, H.C. Towle, S.A. Berry (USA) 151
Estrogen stimulates expression of adenine nucleotide translocator ANT1 messenger RNA in female rat hearts
C.K.L. Too, A. Giles, M. Wilkinson (Canada) 161
Adrenergic regulation of translocation of protein kinase C isozymes in rat pinealocytes
A.K. Ho, K. Hashimoto, W. Matowe, C.L. Chik (Canada) 169
Estrogenicity of bisphenol A in a human endometrial carcinoma cell line
R.M. Bergeron, T.B. Thompson, L.S. Leonard, L. Pluta, K.W. Gaido (USA) 179

Rapid communication
Human A-type ANP receptor upregulation by PACAP and carbachol in neuroblastoma cells
A. Forgeur, M. Svoboda, J. Winand, P. Robberecht, C. Delporte (Belgium) 189

Calendar 195

Notes to Authors
Announcements

PRINTED IN IRELAND